

Appl. No. 10/006,072
Amdt. Dated 11/28/2005
Response to Office action dated 10/18/2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-4 (Canceled)

Claim 5 (New): A switching apparatus for receiving and transmitting frames and messages, wherein the frames consist of relatively long strings of bytes and the messages consist of small entities, the switching apparatus comprising

a ring of plural data ports comprising input ports and output ports, wherein each data port is interconnected to two adjacent data ports, the ring defining for any given pairing of one input port and one output port a set of zero or more intermediate data ports in a given direction, the ring for passing the messages received at the input ports through any respective intermediate ports to designated output ports

a crossbar for switching the frames from the input ports to the output ports

wherein the frames and messages are processed simultaneously.

Claim 6 (New): The switching apparatus of claim 5 further comprising

a parser for separating the frames from the messages to form two separate data streams.

Claim 7 (New): The switching apparatus of claim 5 further comprising

a clock for moving the messages by one data port for every clock pulse.

2/11

Appl. No. 10/006,072

Amdt. Dated 11/28/2005

Response to Office action dated 10/18/2005

Claim 8 (New): The switching apparatus of claim 5 further comprising

plural gates respectively associated with each data port for allowing a given message into a given data port only if no other data is present in the given data port.

Claim 9 (New): The switching apparatus of claim 5 further comprising

a controller for preventing conflict between message passing on the ring and switching by the crossbar.

Claim 10 (New): A process for receiving and transmitting frames and messages, wherein the frames consist of relatively long strings of bytes and the messages consist of small entities, the process comprising

interconnecting plural data ports in a ring, the data ports comprising input ports and output ports, wherein each data port is interconnected to two adjacent ports, the ring defining for any given pairing of one input port and one output port a set of zero or more intermediate data ports in a given direction

passing the messages received at the input ports around the ring through any respective intermediate ports to designated output ports

simultaneously with passing the messages, switching the frames from the input ports to the output ports via a crossbar.

Claim 11 (New): The process of claim 10 further comprising

separating the frames from the messages to form two separate data streams.

Appl. No. 10/006,072

Amdt. Dated 11/28/2005

Response to Office action dated 10/18/2005

Claim 12 (New): The process of claim 10 further comprising
moving the messages by one data port for every clock pulse.

Claim 13 (New): The process of claim 10 further comprising
allowing a given message into a given data port only if no other data is present in the
given data port.

Claim 14 (New): The process of claim 10 further comprising
preventing conflict between message passing on the ring and switching.

Claim 15 (New): Apparatus for receiving and transmitting frames and messages, wherein the frames
consist of relatively long strings of bytes and the messages consist of small entities, the process
comprising

means for interconnecting plural data ports in a ring, the data ports comprising input ports
and output ports, wherein each data port is interconnected to two adjacent ports, the ring defining
for any given pairing of one input port and one output port a set of zero or more intermediate data
ports in a given direction

means for passing the messages received at the input ports around the ring through any
respective intermediate ports to designated output ports

means for, simultaneously with passing the messages, switching the frames from the input
ports to the output ports via a crossbar.

Appl. No. 10/006,072

Amdt. Dated 11/28/2005

Response to Office action dated 10/18/2005

Claim 16 (New): The apparatus of claim 15 further comprising

means for separating the frames from the messages to form two separate data streams.

Claim 17 (New): The apparatus of claim 15 further comprising

means for moving the messages by one data port for every clock pulse.

Claim 18 (New): The apparatus of claim 15 further comprising

means for allowing a given message into a given data port only if no other data is present in the given data port.

Claim 19 (New): The apparatus of claim 15 further comprising

means for preventing conflict between message passing on the ring and switching.

Claim 20 (New): A process for receiving and transmitting frames and messages, wherein the frames consist of relatively long strings of bytes and the messages consist of small entities, the process comprising

determining whether a data packet is a message or frame

if the data packet is a frame, then routing the frame through a crossbar switch

if the data packet is a message, then

inserting the message into one of a plurality of ports, wherein the ports are interconnected in a ring

giving the message a message ring destination identifier

passing the message from port to port until the message reaches a destination port.

Appl. No. 10/006,072

Amdt. Dated 11/28/2005

Response to Office action dated 10/18/2005

Claim 21 (New): The process of claim 20 further comprising

if the data packet is a message, then placing the message in a message-in queue

Claim 22 (New): The process of claim 21

wherein the message-in queue comprises a FIFO.

Claim 23 (New): The process of claim 20 further comprising

after the message reaches the destination port, placing the message in a message-out queue.

Claim 24 (New): The process of claim 23

wherein the message-out queue comprises a FIFO.